



Towercam / Jib buggy



# the\_TOWERCAM



## AVAILABLE SIZES:

### TP 2500: DUAL-USE

LENS HEIGHT:  
MIN. 155CM (5FT) MAX. 350CM (11,5FT)  
MOUNT HEIGHT:  
MIN. 105CM (3,4 FT) MAX. 250CM (8,2FT)  
TRAVEL: 145CM (4,8FT)  
PAYLOAD: 60KG  
WEIGHT: 50KG

### TP 5000: DUAL-USE

LENS HEIGHT:  
MIN. 220CM (7,2FT) MAX. 550CM (18FT)  
MOUNT HEIGHT:  
MIN. 170CM (5,6FT) MAX. 500CM (16,4FT)  
TRAVEL: 330CM (10,8FT)  
PAYLOAD: 60KG  
WEIGHT: 85KG

### TP 6000: DUAL-USE


LENS HEIGHT:  
MIN. 254CM (8,3FT) MAX. 650CM (21,3FT)  
MOUNT HEIGHT:  
MIN. 204CM (6,7FT) MAX. 600CM (19,7FT)  
TRAVEL: 396CM (13FT)  
PAYLOAD: 60KG  
WEIGHT: 100KG

### TP 10.000: DUAL-USE

LENS HEIGHT:  
MIN. 350CM (11,5FT) MAX. 1.010CM (33,1FT)  
MOUNT HEIGHT:  
MIN. 300CM (5,6FT) MAX. 960CM (31,5FT)  
TRAVEL: 660CM (21,7FT)  
PAYLOAD: 40KG  
WEIGHT: 120KG

**CUSTOM SIZES ON DEMAND!**

# the\_TOWERCAM



## AVAILABLE SIZES:

### XS+ TC2100: UPRIGHT ONLY

LENS HEIGHT:

MIN. 120CM (4FT) MAX. 260CM (8,5FT)

MOUNT HEIGHT:

MIN. 70CM (2,3FT) MAX. 210CM (6,9FT)

TRAVEL: 140CM (4,6FT)

PAYLOAD: 40KG

WEIGHT: 45KG

### TC 3300: UPRIGHT ONLY

LENS HEIGHT:

MIN. 178CM (5,8FT) MAX. 389CM (12,8FT)

MOUNT HEIGHT:

MIN. 128CM (4,2FT) MAX. 339CM (11,1FT)

TRAVEL: 211CM (6,9FT)

PAYLOAD: 60KG

WEIGHT: 60KG

### S+TC4500: UPRIGHT ONLY

LENS HEIGHT:

MIN. 190CM (6,2FT) MAX. 500CM (16,4FT)

MOUNT HEIGHT:

MIN. 140CM (4,6FT) MAX. 450CM (14,8FT)

TRAVEL: 310CM (10,2FT)

PAYLOAD: 60KG

WEIGHT: 80KG

**CUSTOM SIZES ON DEMAND!**







the\_TOWERCAM



**MAT**®